



**WIPER BLADES
FOR AGRICULTURE**





HIGH-QUALITY RUBBER – AROUND THE CLOCK, UNDER ANY WEATHER CONDITIONS

Wiper blades need to continue working at all times under all conditions, whether the subjected to extreme temperatures in summer and winter or mechanical loads due to wind, frost, sun or snowfall.

Wiper blades must be resistant to organic and inorganic deposits and chemical substances such as windshield washer fluid.

Wiper blades should be replaced every 12 months to ensure the highest quality and visibility, both on the road and off.

Our wiper blades let you stay on course and provide a perfect overview of every situation.

This is all the more reason to choose HELLA when replacement becomes necessary.

We are partners with manufacturers of agricultural vehicles and are sure to have your vehicle type covered in our extensive product range.

As a leading partner of the best-known European vehicle manufacturers, HELLA has been developing quality components and systems for the automotive industry since 1899, and it is one of the largest providers of vehicle parts and accessories worldwide.



For more information, visit:
www.hella.com/wiperblades.




Wiper blades from HELLA

The graphite coating on the wiper blade rubber greatly reduces the friction in the contact areas between the wiper blade and windshield.

This means smooth and quiet operation with longer lasting performance.

Your wiping pattern lets you determine if your wiper blades need to be replaced



No streaking.


No complaints.

Up to 3 persistent streaks in the exterior field of view.

No complaints.

Up to 1 persistent streak in the central field of view.

No complaints.



Persistent streaks in the exterior field of view or temporary streaks in the entire field of view.


Please replace wipers.

Strong streaking in the exterior field of view or many evenly distributed temporary streaks.

Please replace wipers.

Persistent water spots begin to form.

Please replace wipers as soon as possible.



Formation of haze and persistent water spots.

Replace wipers immediately!

Formation of haze and large, persistent water spots.

Replace wipers immediately!

Chatter marks.

Replace wipers immediately!

THE SOLUTION FOR STORM CLOUDS
ON THE HORIZON –

GOOD VISIBILITY AND SAFE
DRIVING WITH WIPER BLADES
FROM HELLA.







WIPER ARM TYPES ON THE VEHICLE

Wiper arms on the vehicle

Corresponding adapter

Straight-end arm



TR9 adapter



Bayonet arm



E3 adapter



**Hook arm
9 x 3 mm**



**Hook arm
9 x 4 mm**



OUR RANGE OF WIPER BLADES



- Wear-free edge for perfect wiping results to the very end of service life
- Environmentally friendly and lead-free
- Protective lip on each new wiper blade

- 1** The rubber lip is coated with graphite using nano technology and offers even, quiet operation and clear visibility.
- 2** Preinstalled adapter
- 3** Original HELLA logo printed on each wiper blade as a mark of quality
- 4** Superior solid steel frame ensures maximum strength and durability
- 5** Even contact pressure at each contact point provides clean wiping results

Wiper blade	Lengths		Part number
WA16	16"	400 mm	9XW 204 163-161
WA18	18"	450 mm	9XW 204 163-181
WA20	20"	500 mm	9XW 204 163-201
WA22	22"	550 mm	9XW 204 163-221
WA24	24"	600 mm	9XW 204 163-241

HELLA KGaA Hueck & Co.

Rixbecker Straße 75
59552 Lippstadt/Germany
Tel.: +49 2941 38-0
Fax: +49 2941 38-7133
E-Mail: info@hella.com
Internet: www.hella.com

© HELLA KGaA Hueck & Co., Lippstadt
9Z2 999 135-363 J00814/KB/08.14/0.2
Subject to technical and price modifications.
Printed in Germany